

# SAFETY DATA SHEET

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE **COMPANY/UNDERTAKING**

1.1 **Product identifier** 

1.3

1.4

Product Name JAD DEVELOPER - AEROSOL.

CAS No. Mixture. EINECS No. Mixture. REACH Registration No. None assigned.

Relevant identified uses of the substance or 1.2

mixture and uses advised against

For use in the Dye Penetrant Inspection Process BS EN ISO Identified use(s)

None known.

571-1:1997 (BS EN ISO 3452-2:2006 Sensitivity level 2 when

used in conjuction with penetrant family products).

Uses advised against

Details of the supplier of the Safety Data Sheet

Company Identification Johnson and Allen Ltd

> Neocol Works Smithfield Sheffield S3 7AR. 0114 2738066

Telephone 0114 2729842 E-Mail (competent person) info@johnsonandallen.co.uk

**Emergency telephone number** 

Emergency Phone No. 0114 2738066. (UK office hours 08.30-17.00)

### **SECTION 2: HAZARDS IDENTIFICATION**

#### Classification of the substance or mixture 2.1

Regulation (EC) No. 1272/2008 (CLP) Aerosol 3; Pressurised container: May burst if heated.

> Skin Irrit. 2; Causes skin irritation. Eye Irrit. 2; Causes serious eye irritation. Carc. 2; Suspected of causing cancer.

STOT RE 2; May cause damage to organs through prolonged

or repeated exposure: Liver.

STOT SE 3; May cause respiratory irritation. May cause

drowsiness or dizziness.

2.2 According to Regulation (EC) No. 1272/2008 (CLP) Label elements

JAD DEVELOPER - AEROSOL. **Product Name** 

Hazard Pictogram

GHS07

Signal word(s) Warning.

Revision: 7B Page: 1/9 Date: 20/12/2016



Hazard statement(s) H229: Pressurised container: May burst if heated.

H315: Causes skin irritation.

H319: Causes serious eye irritation. H335: May cause respiratory irritation. H336: May cause drowsiness or dizziness. H351: Suspected of causing cancer.

H373: May cause damage to organs through prolonged or

repeated exposure: Liver.

Precautionary statement(s) P201: Obtain special instructions before use.

P210: Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking. P251: Do not pierce or burn, even after use.

P260: Do not breathe vapour/spray.

P271: Use only outdoors or in a well-ventilated area. P410+P412: Protect from sunlight. Do not expose to

temperatures exceeding 50°C/ 122°F.

2.3 Other hazards None.

2.4 Additional Information For full text of H/P Statements see section 16.

# 3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Product as supplied: Aerosol.

#### 3.1 Mixtures

EC Classification No. 1272/2008

Hazardous ingredient(s)	%W/W	CAS No.	EC No.	REACH Registration No.	Hazard pictogram(s) and Hazard statement(s)
Dichloromethane	70-90	75-09-2	200-838-9	None assigned	GHS08, Carc. 2; H351, STOT
Dichiolomethane	70-30	73-03-2	200-030-9	None assigned	RE 2; H373, GHS07, Skin Irrit.
					2; H315, Eye Irrit. 2; H319,
					STOT SE 3: H335. H336
					,,
Carbon dioxide	1-10	124-38-9	204-696-9	None assigned	GHS04, Press. Gas; H280
Powder Dispersion	<1	66455-14-9	500-165-3	None assigned	GHS05, Eye Dam. 1; H318,
Agent					GHS09, Aquatic Acute 1; H400

#### 3.2 Additional Information

For full text of H/P Statements see section 16.

# 4. SECTION 4: FIRST AID MEASURES



### 4.1 Description of first aid measures

Inhalation IF INHALED: Remove person to fresh air and keep

comfortable for breathing. Call a POISON CENTER/doctor if

you feel unwell.

Skin Contact IF ON SKIN: Wash with plenty of water. Take off

contaminated clothing and wash it before reuse. If skin

irritation occurs: Get medical advice/attention.

Eye Contact IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Revision: 7B Page: 2/9 Date: 20/12/2016



Ingestion

Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed

Unlikely route of exposure.

Inhalation: Headache, dizziness, nausea and vomiting.

If exposed or concerned: Get medical advice/attention.

### 5. SECTION 5: FIRE-FIGHTING MEASURES

Pressurised container: May burst if heated.

5.1 Extinguishing Media

4.2

Suitable Extinguishing Media
Unsuitable Extinguishing Media

5.2 Special hazards arising from the substance or mixture

5.3 Advice for fire-fighters

Foam, Carbon dioxide, Water fog or dry powder.

Water jet spray.

Heating may cause pressure rise with risk of bursting. Decomposes in a fire giving off toxic fumes: Phosgene, Hydrochloric acid, Carbon monoxide, Carbon dioxide, Nitrogen oxides.

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. If it is safe to do so, containers should be removed from fire area because they are likely to rupture under fire conditions. Keep containers cool by spraying with water if exposed to fire.

#### 6. SECTION 6: ACCIDENTAL RELEASE MEASURES

The product is an aerosol. It is unlikely to present spillage or leakage hazard. In case of rupture, released content should be contained as any other solvent spill.

6.1 Personal precautions, protective equipment

and emergency procedures

6.2 Environmental precautions

6.3 Methods and material for containment and cleaning up

6.4 Reference to other sections

Ensure adequate ventilation. Do not breathe vapour/spray. Avoid contact with skin and eyes. Avoid inhalation of high

concentrations of vapours. Wear protective gloves/protective clothing/eye protection/face protection.

Do not release large quantities into the surface water or into

drains.

Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a lidded container for disposal or recovery. Containers must not be punctured or destroyed by

burning, even when empty. See Also Section 8 and 13

### 7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not pierce or burn, even after use. Provide adequate ventilation. Use only outdoors or in a well-ventilated area. Do not breathe vapour/spray. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Store in a well-ventilated place. Keep container tightly

7.2 Conditions for safe storage, including any incompatibilities

Storage Temperature

closed. Protect from sunlight. Store locked up. Ambient. Do not expose to temperatures exceeding 50°C/

122°F.

Storage Life

Incompatible materials

Stable under normal conditions. Strong oxidising agents, Acids, Alkalis, Zinc, Aluminium.

Revision: 7B Page: 3/9 Date: 20/12/2016



7.3 Specific end use(s)

For use in the Dye Penetrant Inspection Process BS EN ISO 571-1:1997 (BS EN ISO 3452-2:2006 Sensitivity level 2 when used in conjuction with penetrant family products).

### 8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

### 8.1.1 Occupational Exposure Limits

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note
Dichloromethane	75-09-2	100	350	300	1060	WEL, BMGV, Sk
Carbon dioxide	124-38-9	5000	9150	15000	27400	WEL

WEL: Workplace Exposure Limit (UK HSE EH40)

Bmgv: Biological monitoring guidance value (UK HSE EH40)

Sk - Can be absorbed through skin.

**8.1.2 Biological limit value** Not established.

8.1.3 PNECs and DNELs Not established.

8.2 Exposure controls

**8.2.1** Appropriate engineering controls Provide adequate ventilation.

8.2.2 Personal protection equipment

Eye/face protection Wear suitable eye/face protection.



Skin protection (Hand protection/ Other) Wear suitable protective clothing and gloves. Impervious

Respiratory protection Wear a suitable respirator if the ventilation is not sufficient to

gloves (EN 374).

keep the solvent vapour concentration below the

occupational limit values. A suitable mask with filter type A

(EN14387 or EN405) may be appropriate.

Thermal hazards Not applicable.

**8.2.3** Environmental Exposure Controls Do not release large quantities into the surface water or into

drains.

# 9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Information on basic physical and chemical

properties

Appearance Aerosol.
Colour White.

Odour Characteristic odour.
Odour Threshold Not available.
pH Not applicable.

Melting Point/Freezing Point -97°C
Initial boiling point and boiling range 39.8°C
Flash Point Not available.
Evaporation rate Not applicable.
Flammability (solid, gas) Non-flammable.

Revision: 7B Page: 4/9 Date: 20/12/2016



Upper/lower flammability or explosive limits
Vapour pressure
Vapour density
Relative density

Not available.
Not available.
1.32g/l @ 20°C

Solubility(ies) Slightly soluble in: Water. Partition coefficient: n-octanol/water 1.25 (Dichloromethane).

Auto-ignition temperature 624°C

Decomposition Temperature Not available.

Viscosity Not applicable.

Explosive properties Pressurised container: May burst if heated.

Oxidising properties Not available.

**9.2 Other information** None.

### 10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Stable under normal conditions.
 10.2 Chemical stability Stable under normal conditions.
 10.3 Possibility of hazardous reactions Stable under normal conditions.
 10.4 Conditions to publish

**10.4 Conditions to avoid** Heat and direct sunlight.

10.5 Incompatible materials
 10.6 Hazardous Decomposition Product(s)
 Strong oxidising agents, Alkalis, Acids, Zinc, Aluminium.
 Phosgene, Hydrochloric acid, Carbon monoxide, Carbon

dioxide, Nitrogen oxides.

### 11. SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects

### 11.1.1 Mixtures

Acute toxicity

Carcinogenicity

Ingestion Low oral toxicity.

Dichloromethane: LD50 (rat) >2000mg/kg

Inhalation STOT SE 3; May cause drowsiness or dizziness.

Low acute toxicity. Effects and Symptoms: Headache,

dizziness, nausea and vomiting.

Dichloromethane: LC50 (rat) 4hour(s) = 49000mg/m<sup>3</sup>

Skin Contact Low acute toxicity.

Dichloromethane: LD50 (rat) >2000mg/kg

Eye Contact Low acute toxicity.

Irritation Skin Irrit. 2; Causes skin irritation.

Eye Irrit. 2; Causes serious eye irritation. STOT SE 3; May cause respiratory irritation.

Corrosivity Not classified.

Sensitisation It is not a skin sensitiser.

Repeated dose toxicity STOT RE 2; May cause damage to organs through

prolonged or repeated exposure: Liver. Carc. 2; Suspected of causing cancer.

Dichloromethane:

A3: Confirmed Animal Carcinogen with Unknown Relevance to Humans: The agent is carcinogenic in experimental animals at a relatively high dose, by route(s) of administration, at site(s), of histological type(s), or by mechanism(s) that may not be relevant to worker exposure. Available epidemiological studies do not confirm an increased risk of cancer in exposed humans. Available evidence does not suggest that the agent is likely to cause cancer in humans except under uncommon or unlikely

routes or levels of exposure.

Revision: 7B Page: 5/9 Date: 20/12/2016



Mutagenicity There is no evidence of mutagenic potential.

**Toxicity for reproduction**None anticipated.

**11.2 Other information** None.

### 12. SECTION 12: ECOLOGICAL INFORMATION

Persistence and degradability

12.2

**12.1 Toxicity** Low toxicity to aquatic organisms.

Dichloromethane:

Fish: LC50 (96 hour) = 193mg/l

Aquatic invertebrates: EC50 (48 hour) = 109mg/l
The product is biodegradable. The product is unlikely to

persist in the environment.

12.3 Bioaccumulative potential The product has low potential for bioaccumulation.

Bioconcentration factor (BCF): 2-5.4

**12.4 Mobility in soil** The product is volatile and will partition into the atmosphere.

The product has high mobility in soil.

Not classified as PBT or vPvB.

12.5 Results of PBT and vPvB assessment Not cla
12.6 Other adverse effects None.

### 13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods Recycle only completely emptied packaging. Containers

must not be punctured or destroyed by burning, even when empty. Non-emptied Aerosol: Dispose of wastes in an

approved waste disposal facility.

13.2 Additional Information Disposal should be in accordance with local, state or

national legislation.

### 14. SECTION 14: TRANSPORT INFORMATION

**14.1 UN number** UN 1950

**14.2 UN Proper Shipping Name** AEROSOLS, non-flammable, containing substances in

Division 6.1, Packing Group III

14.3 Transport hazard class(es) 2 14.4 Packing Group No

**14.5** Environmental hazards Not classified as a Marine Pollutant.

14.6 Special precautions for user None

14.7 Transport in bulk according to Annex II of Not applicable.

MARPOL73/78 and the IBC Code

14.8 Additional Information

**14.8.1** ADR/RID Hazard label(s): 2.2 + 6.1

ADR Classification Code: 5T Special Provisions: 190 327 344 625

Tunnel Restriction Code: D Limited quantity: 120 ml Excepted quantity: E0

Packaging Instructions: P003 LP02 (Special Provisions:

PP17 PP87 RR6 L2, Mixed Provisions: MP9)

Special Provisions for Carriage:

Packages: Bulk: Loading, etc: CV9 CV12 CV28

Operations: S7

**14.8.2** IMDG Hazard label(s): 2.2 + 6.1

EmS: F-D, S-U

Special Provisions: 63 190 277 327 959

Limited quantity: SP277 Excepted quantity: E0

Packaging Instructions: P003 (Special Provisions: PP17)

Revision: 7B Page: 6/9 Date: 20/12/2016



**14.8.3** ICAO/IATA Hazard label(s): 2.2 + 6.1

Excepted quantity: E0

Cargo Aircraft Only: Packaging Instructions: 203,

Maximum quantity: 150kg

Passenger and Cargo Aircraft: Packaging Instructions: 203,

Maximum quantity: 75kg

Passenger and Cargo Limited Quantity: Packaging Instructions: Y203, Maximum quantity: 30kg

### 15. SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental

regulations/legislation specific for the

substance or mixture

15.1.1 EU regulations

Authorisations and/or restrictions on use

Candidate List of Substances of Very High Concern All chemicals are not listed.

for Authorisation

REACH: ANNEX XVII Restrictions on the Listed: Dichloromethane (CAS No.: 75-09-2)

manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

REACH: ANNEX XIV List of substances subject to All chemicals are not listed.

authorisation

Community Rolling Action Plan (CoRAP); All chemicals are not listed.

Draft 04/11/2013

 15.1.2 National regulations
 None known.

 15.2 Chemical Safety Assessment
 Not available.

### 16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

#### **LEGEND**

LTEL Long Term Exposure Limit
STEL Short Term Exposure Limit
DNEL Derived No Effect Level

PNEL Predicted No Effect Concentration
PBT Persistent, Bioaccumulative and Toxic
vPvB very Persistent and very Bioaccumulative

OEL Occupational Exposure Limits
BCF Bioconcentration factor
Aerosol 3 Aerosol Category 3

Skin Irrit. 2 Skin corrosion/irritation Category 2
Eye Irrit. 2 Serious eye damage/irritation Category 2
Eye Dam. 1 Serious eye damage/irritation Category 1

STOT SE 3 Specific target organ toxicity — single exposure Category 3
STOT RE 2 Specific target organ toxicity — repeated exposure Category 2

Carc. 2 Carcinogenicity Category 2

Aquatic Acute 1 Hazardous to the aquatic environment Category 1

Press. Gas Gases under pressure: Compressed gas

Revision: 7B Page: 7/9 Date: 20/12/2016



### Hazard statement(s) and Precautionary statement(s)

H280 Contains gas under pressure; may explode if heated.

H315 Causes skin irritation.

H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H336 May cause drowsiness or dizziness.
H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure: Liver.

H400 Very toxic to aquatic life.

P202 Do not handle until all safety precautions have been read and understood.

P264 Wash hands thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P312 Call a POISON CENTER/doctor if you feel unwell.

P405 Store locked up.

P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P308+P313 IF exposed or concerned: Get medical advice/attention.
P332+P313 If skin irritation occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

### Hazard pictogram(s)



Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Johnson and Allen Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Johnson and Allen Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Revision: 7B Page: 8/9 Date: 20/12/2016



Annex to the extended Safety Data Sheet (eSDS)

No information available.

Revision: 7B Page: 9/9 Date: 20/12/2016