

SAFETY DATA SHEET

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name JAP PENETRANT – AEROSOL.

CAS No. Mixture. EINECS No. Mixture.

REACH Registration No. None assigned.

1.2 Relevant identified uses of the substance or

mixture and uses advised against

Identified use(s)

A solvent removable, visible Red Dye Penetrant for use in the Dye Penetrant Inspection Process BS EN ISO 571-

1:1997 (BS EN ISO 3452-2:2006 Sensitivity level 2).

Uses advised against None known.

1.3 Details of the supplier of the Safety Data Sheet

Company Identification Johnson and Allen Ltd

Neocol Works Smithfield Sheffield S3 7AR. 0114 2738066

Telephone 0114 2738066 0114 2729842

E-Mail (competent person) info@johnsonandallen.co.uk

1.4 Emergency telephone number

Emergency Phone No. 0114 2738066 (UK office hours 08.30-17.00)

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Regulation (EC) No. 1272/2008 (CLP) Aerosol 3; Pressurised container: May burst if heated.

Asp. Tox. 1; May be fatal if swallowed and enters airways. Repeated exposure may cause skin dryness or cracking.

2.2 Label elements

Product Name Hazard Pictogram According to Regulation (EC) No. 1272/2008 (CLP) JAP PENETRANT – AEROSOL.



GHS08

Signal word(s) Danger.

Hazard statement(s) H229: Pressurised container: May burst if heated.

H304: May be fatal if swallowed and enters airways. EUH066: Repeated exposure may cause skin dryness or

cracking.

Precautionary statement(s) P210: Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking. P251: Do not pierce or burn, even after use. P410+P412: Protect from sunlight. Do not expose to

temperatures exceeding 50°C/ 122°F.

Revision: 10 Page: 1/7 Date: 06/08/2015



P301+P310: IF SWALLOWED: Immediately call a POISON

CENTER/doctor.

P331: Do NOT induce vomiting.

P405: Store locked up.

2.3 Other hazards None.

2.4 Additional Information For full text of H/P Statements see section 16.

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Product as supplied: Aerosol.

3.1 Mixtures

EC Classification No. 1272/2008

Hazardous ingredient(s)	%W/W	CAS No.	EC No.	REACH Registration No.	Hazard pictogram(s) and Hazard statement(s)
Hydrocarbons, C12- C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics	50-70	None assigned	920-107-4	01-2119453414- 43-0001	GHS08, Asp. Tox. 1; H304, EUH066
White mineral oil (petroleum)	15-25	8042-47-5	232-455-8	01-2119487078- 27-XXXX	None
Carbon dioxide	1-10	124-38-9	204-696-9	None assigned	GHS04, Press. Gas; H280
Tetrahydrofurfuryl salicylate	1-10	2217-35-8	218-711-1	None assigned	None

3.2 Additional Information

For full text of H/P Statements see section 16.

4. SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

Inhalation If breathing is difficult, remove victim to fresh air and keep at

rest in a position comfortable for breathing. If symptoms

persist, obtain medical attention.

Skin Contact Wash with plenty of soap and water. Remove contaminated

clothing and wash clothing before reuse. If symptoms

persist, obtain medical attention.

Eye Contact Flush eyes with water for at least 15 minutes while holding

eyelids open. If symptoms persist, obtain medical attention. IF SWALLOWED: Do NOT induce vomiting. Immediately

call a POISON CENTER/doctor.

4.2 Most important symptoms and effects, both

acute and delayed

Ingestion

Aspiration into the lungs may cause chemical pneumonitis, which can be fatal. Repeated exposure may cause skin dryness or cracking.

4.3 Indication of any immediate medical attention

and special treatment needed

Unlikely to be required but if necessary treat

symptomatically.

Revision: 10 Page: 2/7 Date: 06/08/2015



5. SECTION 5: FIRE-FIGHTING MEASURES

Pressurised container: May burst if heated.

5.1 **Extinguishing Media**

> Suitable Extinguishing Media Unsuitable Extinguishing Media

5.2 Special hazards arising from the substance or mixture

5.3 Advice for fire-fighters Extinguish with waterspray, foam or dry chemical.

None known.

Heating may cause pressure rise with risk of bursting.

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. If it is safe to do so, containers should be removed from fire area because they are likely to rupture under fire conditions. Keep containers cool by spraying with water if exposed to fire.

SECTION 6: ACCIDENTAL RELEASE MEASURES

The product is an aerosol. It is unlikely to present spillage or leakage hazard. In case of rupture, released content should be contained as any other solvent spill.

6.1 Personal precautions, protective equipment

and emergency procedures

6.2 **Environmental precautions**

6.3 Methods and material for containment and cleaning up

6.4 Reference to other sections Ensure adequate ventilation. Avoid inhalation of high concentrations of vapours. Wear suitable gloves and

eye/face protection.

Do not release large quantities into the surface water or into

drains.

Collect mechanically and dispose of according to Section 13. Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a lidded container for disposal or recovery. Containers must not be punctured or destroyed by

burning, even when empty. See Also Section: 8, 13.

SECTION 7: HANDLING AND STORAGE 7.

7.1 Precautions for safe handling Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not pierce or burn, even after use. Provide adequate ventilation. Avoid inhalation of high concentrations of vapours. Avoid prolonged skin contact. Wear suitable gloves and eye/face protection. See Section: 8. Do not eat, drink or smoke during work. Wash hands thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities

Storage Temperature

Storage Life

Incompatible materials

122°F

Store locked up. Protect from sunlight.

Stable under normal conditions.

Strong oxidising agents, Natural rubber, Butyl rubber,

Polystyrene.

7.3 Specific end use(s) A solvent removable, visible Red Dye Penetrant for use in the Dye Penetrant Inspection Process BS EN ISO 571-1:1997 (BS EN ISO 3452-2:2006 Sensitivity level 2).

Ambient. Do not expose to temperatures exceeding 50°C/

Revision: 10 Page: 3/7 Date: 06/08/2015



SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 **Occupational Exposure Limits**

SUBSTANCE	CAS No.	LTEL (8 hr	LTEL (8 hr	STEL	STEL	Note
		TWA ppm)	TWA mg/m³)	(ppm)	(mg/m³)	
Carbon dioxide	124-38-9	5000	9150	15000	27400	WEL

WEL: Workplace Exposure Limit (UK HSE EH40)

Not established. 8.1.2 Biological limit value

8.1.3 PNECs and DNELs Not established.

8.2 **Exposure controls**

8.2.1 Appropriate engineering controls Provide adequate ventilation.

Personal protection equipment

Eye/face protection Wear suitable eye/face protection.

Skin protection (Hand protection/ Other) Wear suitable gloves. Wear: Neoprene.

Respiratory protection No personal respiratory protective equipment normally

required. Handling of larger amounts: In case of insufficient ventilation, wear suitable respiratory equipment. A suitable mask with filter type A (EN14387 or EN405) may be

appropriate. Not applicable.

Thermal hazards

8.2.3 Environmental Exposure Controls Do not release large quantities into the surface water or into

drains.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical

properties

Appearance Aerosol. Colour Red.

Odour Perceptible odour. Odour Threshold Not available. рΗ Not applicable. Melting Point/Freezing Point Not applicable. Initial boiling point and boiling range Not applicable. >100 °C Flash Point Evaporation rate Not applicable. Flammability (solid, gas) Non-flammable.

Upper/lower flammability or explosive limits Not applicable.

Not available. Vapour pressure Vapour density Not available. Relative density 0.84

Immiscible with water. Solubility(ies)

Revision: 10 Page: 4/7 Date: 06/08/2015



Partition coefficient: n-octanol/water

Auto-ignition temperature

Decomposition Temperature

Kinematic Viscosity

Not available.

Not available.

3.5 cSt @ 40 °C

Explosive properties Pressurised container: May burst if heated.

Oxidising properties Not oxidising.

9.2 Other information None.

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Stable under normal conditions.
 10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions No hazardous reactions known if used for its intended

purpose.

10.4 Conditions to avoid Heat and direct sunlight.

10.5 Incompatible materials Strong oxidising agents, Natural rubber, Butyl rubber,

Polystyrene.

10.6 Hazardous Decomposition Product(s) No hazardous decomposition products known.

11. SECTION 11: TOXICOLOGICAL INFORMATION

Unlikely to cause harmful effects under normal conditions of handling and use.

11.1 Information on toxicological effects

11.1.1 Mixtures

Acute toxicity

Ingestion Low acute toxicity.

Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics: LD50 (rat): > 5000mg/kg (OECD401).

Inhalation Low acute toxicity.

Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics: LC50 (rat) 4hour(s): > 4951mg/m³

(OECD403).

Skin Contact Low acute toxicity.

Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics: LD50 (rabbit): > 5000mg/kg (OECD402).

Eye Contact Low acute toxicity.

Irritation Repeated exposure may cause skin dryness or cracking.

Corrosivity Not classified.

Sensitisation Not expected to be a skin or respiratory sensitiser.

Repeated dose toxicity None anticipated.

Carcinogenicity No evidence of carcinogenicity.

Mutagenicity There is no evidence of mutagenic potential.

Toxicity for reproductionNone anticipated.

Aspiration hazard Asp. Tox. 1; May be fatal if swallowed and enters airways.

Aspiration into the lungs may cause chemical pneumonitis,

which can be fatal.

11.2 Other information None.

Revision: 10 Page: 5/7 Date: 06/08/2015



12. SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity Low toxicity to aquatic organisms.

12.2 Persistence and degradability Part of the components are biodegradable.

12.3 Bioaccumulative potential The product has low potential for bioaccumulation.

12.4 Mobility in soil

Immiscible with water. The product is predicted to have low mobility in soil. The product is volatile and will partition into the atmosphere. Higher molecular weight hydrocarbons:

The substance may adsorb onto soils and sediments.

12.5 Results of PBT and vPvB assessment Not classified as PBT or vPvB.

12.6 Other adverse effects None.

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods Recycle only completely emptied packaging. Containers

must not be punctured or destroyed by burning, even when empty. Non-emptied aerosol: Dispose of wastes in an approved waste disposal facility. Refer to manufacturer for information on recovery/recycling. Do NOT landfill.

13.2 Additional Information Disposal should be in accordance with local, state or

national legislation.

14. SECTION 14: TRANSPORT INFORMATION

14.1 UN number UN 1950

14.2 UN Proper Shipping Name AEROSOLS.

14.3 Transport hazard class(es)14.4 Packing Group2 None.

14.5 Environmental hazards Not classified as a Marine Pollutant.

14.6 Special precautions for user None.

14.7 Transport in bulk according to Annex II of Not applicable.

MARPOL73/78 and the IBC Code

14.8 Additional Information14.8.1 ADR Classification Code5F

14.8.2 IMDG Code EmS: F-D, S-U

15. SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental

regulations/legislation specific for the substance or mixture

or mixture

15.1.1 EU regulations

Authorisations and/or restrictions on use

Candidate List of Substances of Very High Concern All chemicals are not listed.

for Authorisation

REACH: ANNEX XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

All chemicals are not listed.

All chemicals are not listed.

REACH: ANNEX XIV List of substances subject to

authorisation

Listed: Carbon dioxide (CAS No.: 124-38-9)

REACH: ANNEX IV Exemptions from the Obligation to Register in accordance with Article 2(7)(a)

to Register in accordance with Article 2(7)(a)
Community Rolling Action Plan (CoRAP);

All chemicals are not listed.

Draft 29/02/2012

15.1.2National regulationsNone known.15.2Chemical Safety AssessmentNot available.

Revision: 10 Page: 6/7 Date: 06/08/2015



16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

LEGEND

LTEL Long Term Exposure Limit
STEL Short Term Exposure Limit
DNEL Derived No Effect Level

PNEL Predicted No Effect Concentration
PBT Persistent, Bioaccumulative and Toxic
vPvB very Persistent and very Bioaccumulative

OECD Organisation for Economic Cooperation and Development

Aerosol 3 Aerosol Category 3

Press. Gas Gases under pressure: Compressed gas

Asp. Tox. 1 Aspiration hazard Category 1

Hazard statement(s)

H280 Contains gas under pressure; may explode if heated. H304 May be fatal if swallowed and enters airways.

Hazard pictogram(s) and Hazard Symbol

GHS04

GHS08



Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose.

Johnson and Allen Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law.

Johnson and Allen Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Annex to the extended Safety Data Sheet (eSDS)

No information available.

Revision: 10 Page: 7/7 Date: 06/08/2015