



NEOPAINT 2 - BULK



SAFETY DATA SHEET

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier	
Product Name	NEOPAINT 2 - BULK.
CAS No.	Mixture.
EINECS No.	Mixture.
REACH Registration No.	None assigned.
1.2 Relevant identified uses of the substance or mixture and uses advised against	
Identified use(s)	For use in the Magnetic Particle Inspection Process (BS EN ISO 9934-2:2002).
Uses advised against	None known.
1.3 Details of the supplier of the Safety Data Sheet	
Company Identification	Johnson and Allen Ltd Neocol Works Smithfield Sheffield S3 7AR.
Telephone	0114 2738066.
Fax	0114 2729842.
E-Mail (competent person)	info@johnsonandallen.co.uk
1.4 Emergency telephone number	
Emergency Phone No.	0114 2738066. (UK office hours 08.30-17.00).

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture	
2.1.1 Regulation (EC) No. 1272/2008 (CLP)	Flam. Liq. 2; Highly flammable liquid and vapour. Skin Irrit. 2; Causes skin irritation. Eye Irrit. 2; Causes serious eye irritation. STOT SE 3; May cause drowsiness or dizziness.
2.1.2 Directive 67/548/EEC & Directive 1999/45/EC	F; Highly flammable. Xi; Irritating to eyes. Repeated exposure may cause skin dryness or cracking. Vapours may cause drowsiness and dizziness.
2.2 Label elements	
2.2.1 Label elements	
Product Name	According to Regulation (EC) No. 1272/2008 (CLP) NEOPAINT 2 - BULK.
Hazard Pictogram	 

Signal word(s)



GHS02

GHS07

Danger.



NEOPAINT 2 - BULK

Hazard statement(s)	H225: Highly flammable liquid and vapour. H315: Causes skin irritation. H319: Causes serious eye irritation. H336: May cause drowsiness or dizziness.
Precautionary statement(s)	P240: Ground/bond container and receiving equipment. P241: Use explosion-proof electrical/ventilating/lighting/equipment. P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P403+P235: Store in a well-ventilated place. Keep cool.
2.2.2 Label elements	According to Directive 67/548/EEC & Directive 1999/45/EC NEOPAINT 2 - BULK.
Product Name	
Hazard Symbol	 
Risk Phrases	F Xi R11: Highly flammable. R36: Irritating to eyes. R66: Repeated exposure may cause skin dryness or cracking. R67: Vapours may cause drowsiness and dizziness.
Safety Phrases	S2: Keep out of the reach of children. S9: Keep container in a well-ventilated place. S16: Keep away from sources of ignition - No smoking. S23: Do not breathe vapour. S24/25: Avoid contact with skin and eyes. S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S37: Wear suitable gloves. S51: Use only in well-ventilated areas. S60: This material and its container must be disposed of as hazardous waste.
2.3 Other hazards	None.
2.4 Additional Information	For full text of H/P phrases see section 16.



NEOPAINT 2 - BULK

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixtures

EC Classification No. 1272/2008

Hazardous ingredient(s)	%W/W	CAS No.	EC No.	REACH Registration No.	Hazard pictogram(s) and Hazard statement(s)
Acetone	60-100	67-64-1	200-662-2	None assigned	GHS02, Flam. Liq. 2; H225, GHS07, Eye Irrit. 2; H319, STOT SE 3; H336, EUH066
Xylene	5-10	1330-20-7	215-535-7	None assigned	GHS02, Flam. Liq. 3; H226, GHS07, Acute Tox. 4; H312, H332, Skin Irrit. 2; H315

EC Classification No. 67/548/EEC

Hazardous ingredient(s)	%W/W	CAS No.	EC No.	REACH Registration No.	EC Classification and Risk Phrases
Acetone	60-100	67-64-1	200-662-2	None assigned	F; R11, Xi; R36, R66, R67
Xylene	5-10	1330-20-7	215-535-7	None assigned	R10, Xn; R20/21, Xi; R38

3.2 Additional Information

For full text of H/P phrases see section 16.

4. SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

Skin Contact

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash with plenty of soap and water. Do not use solvents or diluting agents for skin cleaning. If skin irritation occurs: Get medical advice/attention.

Eye Contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Wash out mouth with water. Do not give anything by mouth to an unconscious person. If symptoms persist, obtain medical attention.

Ingestion

Inhalation: Sore throat, Cough, Confusion, Headache, Dizziness, Drowsiness, Unconsciousness.

Eye Contact: Redness, Pain.

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed

Unlikely to be required but if necessary treat symptomatically.



NEOPAINT 2 - BULK

5. SECTION 5: FIRE-FIGHTING MEASURES

Highly flammable liquid and vapour.

- | | |
|--|--|
| 5.1 Extinguishing Media
Suitable Extinguishing Media

Unsuitable Extinguishing Media | In case of fire: Extinguish preferably with dry chemical, sand, foam or carbon dioxide.
Water. |
| 5.2 Special hazards arising from the substance or mixture | Decomposes in a fire giving off toxic fumes: Carbon monoxide, Carbon dioxide, Nitrogen oxides. |
| 5.3 Advice for fire-fighters | Vapours or fumes: can form explosive mixture with air.
Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Keep containers cool by spraying with water if exposed to fire.
Avoid run off to waterways and sewers. |

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

- | | |
|--|---|
| 6.1 Personal precautions, protective equipment and emergency procedures | Ensure adequate ventilation. Eliminate all ignition sources if safe to do so. Avoid breathing vapours. Avoid contact with skin and eyes. Wear protective gloves/eye protection. Wash hands thoroughly after handling. |
| 6.2 Environmental precautions | Spillages or uncontrolled discharges into watercourses must be alerted to the Environment Agency or other appropriate regulatory body. |
| 6.3 Methods and material for containment and cleaning up | Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a container for disposal. Wash the spillage area with water. |
| 6.4 Reference to other sections | See Also Section 8 and 13. |

7. SECTION 7: HANDLING AND STORAGE

- | | |
|--|---|
| 7.1 Precautions for safe handling | Use only outdoors or in a well-ventilated area. Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing vapours. Avoid contact with skin and eyes. Wear protective gloves/eye protection. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. |
| 7.2 Conditions for safe storage, including any incompatibilities
Storage Temperature
Special storage conditions

Storage Life
Incompatible materials | Keep only in original container. Keep container tightly closed. Store locked up. Store in a well-ventilated place. Keep cool. <25°C
The storage of this product is subject to the requirements of the Highly Flammable and Liquid Petroleum Gases Regulations.
Stable under normal conditions. |
| 7.3 Specific end use(s) | Oxidizing agents, Strongly acidic, Strongly alkaline.
For use in the Magnetic Particle Inspection Process (BS EN ISO 9934-2:2002). |



NEOPAINT 2 - BULK

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m ³)	STEL (ppm)	STEL (mg/m ³)	Note
Acetone	67-64-1	500	1210	1500	3620	WEL
Xylene	1330-20-7	50	220	100	441	WEL, Sk

WEL: Workplace Exposure Limit (UK HSE EH40)

Sk: Can be absorbed through skin.

8.1.2 Biological limit value

Not established.

8.1.3 PNECs and DNELs

Not established.

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Provide adequate ventilation, including appropriate local extraction, to ensure that the occupational exposure limit is not exceeded. A washing facility/water for eye and skin cleaning purposes should be present.

8.2.2 Personal protection equipment

Eye/face protection



Wear protective eye glasses for protection against liquid splashes. Wear eye protection with side protection (EN166).

Skin protection (Hand protection/ Other)



Use skin barrier cream before handling the product. Wear protective gloves.

Respiratory protection



Wear a suitable respirator if the ventilation is not sufficient to keep the solvent vapour concentration below the occupational limit values. A suitable mask with filter type A (EN14387 or EN405) may be appropriate.

Thermal hazards

Not applicable.

8.2.3 Environmental Exposure Controls

Avoid release to the environment.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	Liquid.
Colour	White.
Odour	Characteristic.
Odour Threshold	Not available.
pH	Not available.
Melting Point/Freezing Point	-95.4 °C (Acetone)
Initial boiling point and boiling range	56.2 °C @ 1013 hPa (Acetone)
Flash point	<21 °C
Evaporation rate	Not available.
Flammability (solid, gas)	Non-flammable.
Upper/lower flammability or explosive limits	Not available.
Vapour pressure	233 hPa @ 20 °C (Acetone)
Vapour density	Not available.



NEOPAINT 2 - BULK

Relative density	0.95 – 1.00
Solubility(ies)	Immiscible with water.
Partition coefficient: n-octanol/water	Not available.
Auto-ignition temperature	465 °C @ 1013 hPa (Acetone)
Decomposition Temperature	Not available.
Kinematic Viscosity	Not available.
Viscosity	Not available.
Explosive properties	Not available.
Oxidising properties	Not available.
9.2 Other information	
Volatile organic compound (VOC)	713 g/l

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	Stable under normal conditions.
10.2 Chemical stability	Stable under normal conditions.
10.3 Possibility of hazardous reactions	Vapours or fumes: can form explosive mixture with air.
10.4 Conditions to avoid	Keep away from heat, sources of ignition and direct sunlight.
10.5 Incompatible materials	Oxidizing agents, Strongly acidic, Strongly alkaline.
10.6 Hazardous Decomposition Product(s)	Carbon monoxide, Carbon dioxide, Nitrogen oxides.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects	
11.1.1 Mixtures	
Acute toxicity	
Ingestion	Low acute toxicity. Acetone: LD50 (rat) = 5800 - 7138 mg/kg
Inhalation	STOT SE 3; May cause drowsiness or dizziness.
Skin Contact	Low acute toxicity. Acetone: LD50 (rabbit) > 15688 mg/kg
Eye Contact	Low acute toxicity.
Irritation	Skin Irrit. 2; Causes skin irritation. Eye Irrit. 2; Causes serious eye irritation.
Corrosivity	Not classified.
Sensitisation	Not expected to be a skin or respiratory sensitiser.
Repeated dose toxicity	None anticipated.
Carcinogenicity	No evidence of carcinogenicity.
Mutagenicity	There is no evidence of mutagenic potential.
Toxicity for reproduction	None anticipated.
Aspiration hazard	None anticipated.
11.2 Other information	None.

12. SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity	Low toxicity to aquatic organisms.
12.2 Persistence and degradability	The product is biodegradable. Unlikely to persist.
12.3 Bioaccumulative potential	The product has no potential for bioaccumulation.
12.4 Mobility in soil	Immiscible with water. The vapour is heavier than air and spreads along ground. The product is predicted to have moderate mobility in soil.
12.5 Results of PBT and VPvB assessment	Not classified as PBT or vPvB.
12.6 Other adverse effects	None.



NEOPAINT 2 - BULK

13. SECTION 13: DISPOSAL CONSIDERATIONS

- | | | |
|------|--------------------------------|--|
| 13.1 | Waste treatment methods | Dispose of contents/container to: Licensed recycler. Refer to manufacturer for information on recovery/recycling. Do NOT landfill. |
| 13.2 | Additional Information | Disposal should be in accordance with local, state or national legislation. Spillages or uncontrolled discharges into watercourses must be alerted to the Environment Agency or other appropriate regulatory body. |

14. SECTION 14: TRANSPORT INFORMATION

- | | | |
|--------|--|---------------------------|
| 14.1 | UN number | UN 1263 |
| 14.2 | Proper Shipping Name | PAINT. |
| 14.3 | Transport hazard class(es) | 3 |
| 14.4 | Packing Group | II |
| 14.5 | Environmental hazards | No information available. |
| 14.6 | Special precautions for user | None. |
| 14.7 | Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
| 14.8 | Additional Information | |
| 14.8.1 | ADR Classification Code | F1 |
| 14.8.2 | Hazard Identification Number | 33 |
| 14.8.3 | Tunnel Restriction Code | D/E |
| 14.8.4 | Packing Instructions | 305 (P&CA); 307(CAO) |
| 14.8.5 | IMDG Code | EmS: F-E, S-E |

15. SECTION 15: REGULATORY INFORMATION

- | | | |
|--------|---|-------------------------------|
| 15.1 | Safety, health and environmental regulations/legislation specific for the substance or mixture | |
| 15.1.1 | EU regulations | |
| | Authorisations and/or restrictions on use | |
| | Candidate List of Substances of Very High Concern for Authorisation | All chemicals are not listed. |
| | REACH: ANNEX XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles | All chemicals are not listed. |
| | REACH: ANNEX XIV List of substances subject to authorisation | All chemicals are not listed. |
| | Community Rolling Action Plan (CoRAP); Draft 29/02/2012 | All chemicals are not listed. |
| 15.1.2 | National regulations | None known. |
| 15.2 | Chemical Safety Assessment | Not available. |

16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

LEGEND

LTEL	Long Term Exposure Limit
STEL	Short Term Exposure Limit
DNEL	Derived No Effect Level
PNEL	Predicted No Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
vPvB	very Persistent and very Bioaccumulative



NEOPAINT 2 - BULK

Flam. Liq. 2	Flammable liquid Category 2
Flam. Liq. 3	Flammable liquid Category 3
Acute Tox. 4	Acute toxicity Category 4
Eye Irrit. 2	Serious eye damage/irritation Category 2
Skin Irrit. 2	skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity — single exposure Category 3
F	Flammable
Xn	Harmful
Xi	Irritant

Risk Phrases

R10	Flammable.
R11	Highly flammable.
R20/21	Harmful by inhalation and in contact with skin.
R36	Irritating to eyes.
R38	Irritating to skin.
R66	Repeated exposure may cause skin dryness or cracking.
R67	Vapours may cause drowsiness and dizziness.

Hazard statement(s) and Precautionary statement(s)

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
EUH066	Repeated exposure may cause skin dryness or cracking.
P210	Keep away from heat/sparks/open flames/hot surfaces. – No smoking.
P233	Keep container tightly closed.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing vapours.
P264	Wash hands thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Extinguish preferably with dry chemical, sand, foam or carbon dioxide.
P405	Store locked up.
P501	Dispose of contents/container to: Licensed recycler.



NEOPAINT 2 - BULK

Hazard pictogram(s) and Hazard Symbol

GHS02



F



GHS07



Xi



Xn



Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose.

Johnson and Allen Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Johnson and Allen Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Annex to the extended Safety Data Sheet (eSDS)

No information available.