

Version 17.1 replaces Version 16.1 Revision date: 01.01.2017 According to (EU) No. 2015/830

SECTION	1 IDENTIFICATION OF THE COMPANY / UNDERTAKIN		MIXTURE AND OF THE
1.1	Product identifier:	ZYGLO® ZL-1	9
1.2	Relevant identified uses of the mixture and Relevant identified uses: Uses advised against:	Fluorescent per Destructive Tes This product is	against: netrant used in Non sting (NDT) inspection. not recommended for any the identified uses above.
1.3	Details of the supplier of the safety data sh Manufacturer: Address: Postcode: Telephone/fax number: Email address of competent person responsible for SDS: National contact:	Magnaflux® (A	+44 (0)1793 524566 +44 (0)1793 490459 <u>www.eu.magnaflux.com</u> agnaflux.co.uk
1.4	Emergency telephone number: Opening hours:	T: +44 (0)1793 Office hours (G - 5pm, Friday 8	CE HOURS, CALL

SECTION 2

HAZARDS IDENTIFICATION

2.1	Classification of the substance or mixtur	e:
	Classification according to Regulation	Physical and Chemical Hazard:
	(EC) No 1272/2008 (CLP):	None
		Health Hazard:
		Skin Irrit. 2 H315
		Eye Dam. 1 H318

Additional information

For full text of hazard statements and EU hazard statements see SECTION 16.

Asp. Tox. 1 H304 **Environmental Hazard:** Aquatic Chronic 3 H412

EUH066

2.2

Label Elements: Labelling according to regulation (EC) No 1272/2008 [CLP] Hazard Pictograms:

Signal Word: Danger Hazard Statement(s): H304: May be fatal if swallowed and enters airways. H315: Causes skin irritation. H318: Causes serious eye damage. H412: Harmful to aquatic life with long lasting effects. P280: Wear protective gloves/protective **Precautionary Statement(s):** clothing/eye protection/face protection. P273: Avoid release to the environment. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing. P310: Immediately call a POISON CENTER or doctor/physician. P301+P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician P331: Do NOT induce vomiting. Supplementary Precautionary P264: Wash thoroughly after handling P302+P352: IF ON SKIN: Wash with soap Statement(s): and water. P332+P313: If skin irritation occurs: Get medical advice/attention. P362+P364: Take off contaminated clothing and wash it before reuse. P405: Store locked up. P501: Dispose of contents/container to hazardous waste or special collection point. **Supplementary Hazard Information** EUH066: Repeated exposure may cause (EU) skin dryness or cracking Hazard Determining Component(s) Hydrocarbons C12-C15 n-alkanes, isoalkanes, cyclic, < 2% aromatics Alcohols, C12-C15, branched and linear, ethoxylated, propoxylated Alcohols, C11 – C15 secondary ethoxylated Terpineol

2.3 Other hazards:

Spilled liquid could present a slip hazard.

SECTION 3

COMPOSITION / INFORMATION ON INGREDIENTS

3.2 Mixtures

Ingredient Name	CAS No	EC No	REACH Registration Number	% Weight	Classification according to Regulation (EC) No 1272/2008 [CLP]	Additional information
Hydrocarbons C12-C15 n- alkanes, isoalkanes, cyclic, < 2% aromatics		920- 107-4	01- 2119453414-43	50 – 80	Asp. Tox. 1: H304	EUH066
Alcohols, C12-C15, branched and linear, ethoxylated, propoxylated	120313- 48-6			< 15	Eye Dam. 1: H318 Aquatic Chronic 2: H411	
Alcohols, C11 – C15 secondary ethoxylated	68131- 40-8	614- 295-4		< 10	Skin Irrit. 2: H315 Eye Dam. 1 H318	
Oleic acid monoisopropanolamide	111-05- 7			< 3	Eye Dam. 1 – H318 Skin Irrit. 2 – H315	None
Terpineol	8000- 41-7	232- 368-1	01- 2119553062-49	< 2	Skin Irrit. 2: H315 Eye Irrit. 2 H319	None

Note: Hazard statement(s) in this section apply only to raw materials, not necessarily to finished products.

*See Section 16 for hazard statement(s) text in full.

SECTION 4 FIRST AID MEASURES 4.1 Description of first aid measures: General notes: If symptoms persist, seek medical attention. Show this safety data sheet to the doctor in attendance. Remove to fresh air. Keep at rest. If not Following inhalation: breathing give artificial respiration. Seek medical attention if symptoms occur. Following skin contact: Flush with water, use soap if available. Take off contaminated clothing and wash before re-use. If skin irritation or rash occurs: get medical advice/attention. Following eye contact: Flush eyes with large amounts of water for at least 15 minutes. Check for and remove any contact lenses if easy to do - continue rinsing. Seek medical attention immediately. Following ingestion: Do NOT induce vomiting. If vomiting occurs, keep head low so that stomach contents don't enter the lungs. Never give anything by mouth to an unconscious person. Seek medical attention immediately. Self-protection of the first aider: No action shall be taken involving any personal risk or without suitable training. If it is suspected that the mixture is still present,

4.2 Most important symptoms, both acute and delayed:

Risk of serious damage to eyes. May cause lung damage if swallowed. No delayed effects known.

equipment.

wear appropriate personal protective

4.3 Indication of any immediate medical attention and special treatment needed: Eye wash bottle must be readily available when product is in use.

5.1	Extinguishing media:	
-	Suitable extinguishing media:	Carbon dioxide, foam, dry chemical, water
		fog or spray.
	Unsuitable extinguishing media:	Do not use water jet.
5.2	Special hazards arising from the	Evacuate immediate area. If possible keep
	substance or mixture:	unaffected containers cool with water spray
	Hazardous combustion products:	Smoke, soot and oxides of carbon. Burning vapour may give off toxic fumes.
5.3	Advice for fire-fighter:	
5.3 Advice for fire-fighter: Self contained breathing apparatus and full protective clothing must be we		ull protective clothing must be worn. ainers.

SECTIO	N 6 ACCIDENTAL RELEA	SE MEASURES
6.1	Personal precautions, protective equip Suitable protective equipment (see Section contamination of skin, eyes and personal section	on 8) should be worn to prevent any
	For non-emergency personnel:	Remove ignition sources. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Vapours are likely to accumulate in low areas.
	For emergency responders:	Keep unnecessary people at a safe distance. Remove ignition sources. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Vapours are likely to accumulate in low areas.
6.2		ers and watercourses. Notify the Environment illage occurs. Prevent product from contaminating
6.3	Methods and material for containment	t and cleaning up: sures to prevent the build-up of electrostatic
	For containment:	Contain spilled liquid with sand or earth. Mop up or absorb onto with non- combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite). Place in a container for disposal according to local/national regulations. Large spills should be pumped (using an earthed explosion proof pump) into containers pending disposal.
	For cleaning up:	Allow residues to evaporate. Do not flush away residues with water.
6.4	Other information: Reference to other sections: For Personal Protective Equipment see \$ 13.	No other information. Section 8. For disposal information see Section

SECTION	N 7 HANDLING & STORAGE	
7.1	Precautions for safer handling: Protective Measures:	Wear suitable protective clothing such as chemical resistant gloves, apron and goggles/face mask to protect from splashes. Ensure adequate exhaust ventilation when
		in use. Avoid contact with skin and eyes. Do not breathe product spray or mist.
	Measures to prevent fire:	Keep away from sources of ignition. Take measures to prevent the build-up of electrostatic charge.
	Advice on general occupational hygiene:	Wash thoroughly after handling.
7.2	Conditions for safe storage, including any	/ incompatibilities:
	Technical measures and storage conditions:	Store in a cool dry area away from heat and sources of ignition. Keep containers closed when not in use.
	Packaging materials:	Store in original container.
	Requirements for storage rooms and vessels:	Store locked up. Recommended storage temperature 10 °C to 30 °C. Keep containers out of direct sunlight.
7.3	Further information on storage conditions: Specific end use(s):	Rotate stock and check regularly for damaged items.
1.5	Recommendations:	Use only for Non Destructive Testing (NDT) applications.
	Industrial sector specific solutions:	See product data sheet for further information.

SECTION 8

EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters:

Occupational exposure limit values:

Occupational exposure figures have been set for some of the components of this preparation based on GESTIS International Limit Values or manufacturers' recommendation.

Ingredient name	Country	Limit value - 8 hours		Limit value - short term	
		ppm	mg /m ³	ppm	mg /m ³
Hydrocarbons C12-C15 n-alkanes, isoalkanes, cyclic, < 2% aromatics	Supplier's recommendation	150	1200		
Data obtained from supplier's SDS					

Note: Where no specific short-term exposure limit is listed, a figure three times the long-term exposure limit should be used.

Derived No Effect Level (DNEL) – Hydrocarbons C12-C15 n-alkanes, isoalkanes, cyclic, < 2% aromatics

aronnanoo				
End User	Exposure Route	Exposure Time	Effects	DNEL
Worker	Inhalation	Long term	Systemic	No threshold effect and/or no dose- response information available.
Worker	Inhalation	Short term	Local	No threshold effect and/or no dose- response information available.
Worker	Dermal	Long term	Systemic	No threshold effect and/or no dose- response information available.

Derived No Effect Level (DNEL) - Terpineol

End User	Exposure Route	Exposure Time	Effects	DNEL
Worker	Inhalation	Long term	Systemic	5.8 mg/m3
Worker	Inhalation	Short term	Systemic	5.8 mg/m3
Worker	Dermal	Long term	Systemic	1.17 mg/kg bw/day
Worker	Dermal	Short term	Systemic	5 mg/kg bw/day

Note: The Derived No Effect Level (DNEL) is an estimated safe level of exposure that is derived from toxicity data in accordance with specific guidance within the European REACH regulation. The DNEL may differ from an Occupational Exposure Limit (OEL) for the same chemical. OELs may be recommended by an individual company, a government regulatory body or an expert organization, such as the Scientific Committee for Occupational Exposure Limits (SCOEL) or the American Conference of Governmental Industrial Hygenists (ACGIH). OELs are considered to be safe exposure levels for a typical worker in an occupational setting for an 8-hour work shift, 40 hour work week, as a time weighted average (TWA) or a 15 minute short-term exposure limit (STEL). While also considered to be protective of health, OELs are derived by a process different from that of REACH.

Predicted No Effect Concentration (PNEC)

	Hydrocarbons C12-C15 n-alkanes, isoalkanes, cyclic, < 2% aromatics	Terpineol
Water - Fresh Water	No data available, testing technically	62 µg/L
Water - Marine Water	not feasible.	6.2 μg/L
Water - Intermittent release		No data available.
Sediment - Fresh water		0.442 mg/kg sediment dw
Sediment - Marine water		0.044 mg/kg sediment dw
Soil		0.052 mg/kg soil dw
Sewage Treatment plant		2.57 mg/L

8.2 Exposure controls:

Appropriate engineering controls:	Concentrations of product vapours and mists in the working atmosphere must be kept as low as is reasonably practicable. Exposure should be minimised by the use of appropriate containment, engineering control and ventilation measures. Where this is not possible, personal protective equipment should be worn as indicated
Personal protection equipment:	below where appropriate. Provide eye wash station. Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure
Eye and face protection:	limits are not exceeded. Safety glasses with side-shields conforming to EN166.

Skin protection - hand:	 Protective gloves conforming to EN374-3. Use chemical resistant gloves recommended by glove manufacturer as being suitable for kerosenes if hand exposure is unavoidable. Protective gloves made of nitrile, neoprene or PVC are suitable, although other types may be more suitable in other circumstances. For prolonged exposure, recommended gloves with protective index 6, > 480 minutes permeation time according to EN374. As the product is a preparation, consult the glove manufacturer for exact breakthrough time. Glove manufacturer's directions for use should be observed. Wear impervious clothing. The type of protective equipment must be selected according to the concentration and
Respiratory protection: Thermal hazards:	amount of dangerous substance at the specific workplace. If ventilation is insufficient, suitable respiratory protection must be provided. Chemical respirator with organic vapour cartridge. Use respiratory equipment with gas filter, type A2. EN 136/ 140/ 145/ 143/ 149 For higher level protection use type ABEK-P3 (EU EN 143) respirator cartridges. Use respirators and components tested and approved under CEN standards. Not applicable.
Environmental exposure controls:	Avoid any release to the environment.

SECTION 9

PHYSICAL & CHEMICAL PROPERTIES

9.1	Information on basic physical and chemic	al properties:
	Appearance:	Yellow/ green liquid.
	Odour:	Mild pine.
	Odour threshold:	No data available.
	pH:	Neutral.
	Melting point/freezing point:	No data available.
	Initial boiling point and boiling range:	230 °C.
	Flash point (PMCC):	93 °C (minimum).
	Evaporation rate (BuAC = 100):	< 0.1.
	Flammability (solid, gas) (Limits in air):	No data available.
	Upper/lower flammability or explosive	1.0 – 6.0 % (Vol %).
	limits:	
	Vapour pressure:	< 0.5 mm Hg @ 20 °C.
	Vapour density (Air = 1):	> 1.
	Relative density:	0.86 g/cm ³ .
	Solubility:	Emulsifies.
	Partition coefficient: n-octanol/water:	No data available.
	Auto-ignition temperature:	> 200 °C.
	Decomposition temperature:	No data available.
	Viscosity (ASTM D445):	5.6 mm²/s @ 38 °C.

Explosive properties: Oxidising properties:

No data available. No data available.

1

Note: properties relate to the bulk product only unless otherwise stated.

9.2 Other information:

No other information.

SECTION	10 STABILITY & REACTIVITY	, ,
10.1	Reactivity:	No data available.
10.2	Chemical stability	Stable under normal conditions of use and applications.
10.3	Possibility of hazardous reactions:	No data available.
10.4	Conditions to avoid:	Keep away from sources of ignition, hot surfaces and direct sun light.
10.5	Incompatible materials:	Strong oxidising agents.
10.6	Hazardous decomposition materials:	None under normal conditions of use. Smoke, soot and oxides of carbon on combustion.

SECTION 11 TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects: based on data for component materials.

Acute toxicity - oral:	Based on the available data, the classification criteria are not met.
Acute toxicity – dermal:	Based on the available data, the classification criteria are not met.
Acute toxicity – inhalation:	Based on the available data, the classification criteria are not met.
Skin corrosion/irritation:	Skin Irrit. 2, H315: Causes skin irritation. EUH066: Repeated exposure may cause skin cracking or dryness.
Serious eye damage/irritation:	Eye Dam. 1, H318: Causes serious eye damage.
Respiratory sensitisation:	Based on tests of individual components, this preparation is not sensitising.
Skin sensitisation:	Based on tests of individual components, this preparation is not sensitising.
Germ cell mutagenicity:	Based on individual components, this preparation is not expected to show mutagenic effects.
Carcinogencity:	Based on individual components, this preparation is not expected to show carcinogenic effects.
Reproductive toxicity:	Based on individual components, this preparation is not expected to show repoductive toxicity.
STOT single exposure:	Data lacking.
STOT repeated exposure:	Data lacking.
Aspiration hazard:	Asp. Tox. 1 - H304: May be fatal if swallowed and enters airways.

Information on likely Routes of Exposure and Potential Health Effects:

Inhalation:	May be harmful if inhaled. Causes respiratory tract irritation.
Ingestion:	May be harmful if swallowed. Ingestion may cause irritation of the mouth, throat and digestive tract. Small amounts of product aspirated into the respiratory system during ingestion or from vomiting may cause bronchopneumonia or pulmonary edema.
Eye contact:	Risk of serious damage to eyes.
Skin contact:	May be harmful if absorbed through skin. Causes skin irritation. Repeated exposure may cause skin cracking or dryness.

Toxicity Test Results: based on data for component materials, where available.

Hydrocarbons C12-C15 n-alkanes, isoalkanes, cyclic, < 2% aromatics

Acute Toxicity – oral	LD50 (rat)	> 5000 mg/kg (OECD 401)
Acute Toxicity – dermal	LD50 (rabbit)	> 5000 mg/kg ()ECD 402)
Acute Toxicity – inhalation	LC50 (rat)	4951 mg/l (vapours) 4h (OECD403)

Alcohols, C12-C15, branched and linear, ethoxylated, propoxylated

Acute Toxicity – oral	LD50 (rat)	2,000 – 5,000 mg/kg
Acute Toxicity – dermal	LD50 (rabbit)	Not determined
Acute Toxicity – inhalation	LC50 (rat)	Not determined

Alcohols, C11 – C15 secondary ethoxylated

Acute Toxicity – oral	LD50 (rat)	> 3,000 mg/kg
Acute Toxicity – dermal	LD50 (rabbit)	> 2,000 mg/kg
Acute Toxicity – inhalation	LC50 (rat)	No data.

Terpineol

Acute Toxicity – oral	LD50 (rat)	4300 mg/kg
Acute Toxicity – dermal	LD50 (rabbit)	> 3000 mg/kg
Acute Toxicity – inhalation	LC50 (rat)	No data

Other Information:

No other information

SECTION 12 ECOLOGICAL INFORMATION

Based on data for component materials

12.1 Toxicity:

Hydrocarbons C12-C15 n-alkanes, isoalkanes, cyclic, < 2% aromatics					
Fish	Onchorhynchus mykiss	LC0	96h	1000 mg/l	

Alcohols, C12-C15, branched an	d linear,	ethoxylated,	propoxylated	
			1.050	0.01

Fish	Leuciscus idus	LC50	96h	1 – 10 mg/l (1)
Microorganisms	Activated Sludge	EC10		> 1000 mg/l (DEV-L2)

Alcohols, C11 – C15 secondary ethoxylated

	outoxylatou			
Fish	Pimephales promelas	LC50	96h	3.5 – 4.9 mg/l
Aquatic Invertebrates	Daphnia Magna	EC50	48h	3.1 mg/l.

12.2	Persistence and degradability:	Hydrocarbons C12- C15 n-alkanes, isoalkanes, cyclics, < 2% aromatics: expected to be biodegradable. Alcohols, C12-C15, branched and linear, ethoxylated, propoxylated: moderately biodegradable. Alcohols, C11 – C15 secondary ethoxylated: readily biodegradable.
12.3	Bioaccumulative potential:	Hydrocarbons C12 - C15 n-alkanes, isoalkanes, cyclics, < 2% aromatics: no data available. Alcohols, C12-C15, branched and linear, ethoxylated, propoxylated: Accumulation in organisms is not expected. Alcohols, C11 – C15 secondary ethoxylated: Not expected to be bioaccumulating.
	Partition coefficient: n-octanol/water (log Kow):	Hydrocarbons C12 - C15 n-alkanes, isoalkanes, cyclics, < 2% aromatics: no data available. Alcohols, C12-C15, branched and linear, ethoxylated, propoxylated: no data available. Alcohols C11 - C15 secondary ethoxylated: log Pow = 3.3 - 4.4
	Bioconcentration factor (BCF):	Alcohols C11 - C15 secondary ethoxylated: log BCF = 15 - 64
12.4	Mobility in soil:	Hydrocarbons C12 - C15 n-alkanes, isoalkanes, cyclics, < 2% aromatics: this product is insoluble in water. Alcohols, C12-C15, branched and linear, ethoxylated, propoxylated: The substance will not evaporate into the atmosphere from the water surface. Adsorption to the solid phase is possible. Alcohols C11 - C15 secondary ethoxylated: This product is soluble in water.
12.5	Results of PBT and vPvB assessment:	This product is soluble in water. This mixture does not contain any substances that are assessed to be a PBT or vPvB.
12.6	Other adverse effects:	No data available,

SECTION 13

DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Dispose of waste and residues in accordance with local authority requirements. Seek the advice of an approved waste disposal contractor for disposal at a licensed facility in accordance with national legislation. Product/packing disposal: Empty containers may contain residues.

Do NOT remove labels.

Waste codes/waste designations according to LoW:

None assigned.

NOTE: Waste codes are assigned based upon the most common uses for this material and may not reflect contaminants resulting from actual use. Waste producers need to assess the actual process used when generating the waste and its contaminants in order to assign the proper waste code(s).

Waste treatment – relevant information:	Dispose of waste and residues in accordance with local authority requirements. Seek the advice of an approved waste disposal contractor for disposal at a licensed facility in accordance with national legislation
Sewage disposal – relevant information:	Do not empty down the drain.
Other disposal recommendations:	Use a licensed waste contractor.

SECTION 14	TRANSPORT INFO	RMATION	
14.1 UN numbe	r:	ADR/RID:	-
		IMDG:	-
		IATA:	-
14.2 UN proper	shipping name:	ADR/RID:	Not dangerous goods.
		IMDG:	Not dangerous goods.
		IATA:	Not dangerous goods.
14.3 Transport	hazard class(es):	ADR/RID:	-
		IMDG:	-
		IATA:	-
4.4 Packing gr	oup:	ADR/RID:	-
		IMDG:	-
		IATA:	-
14.5 Environme	ental hazards:	ADR/RID:	-
		IMDG:	-
		IATA:	-
14.6 Special pre Not applica	ecautions for user: ble.		
	in bulk according to Ann	ex II of Marpol 73/78	and the IBC code:

14.7 Transport in bulk according to Annex II of Marpol 73/78 and the IBC code: Not applicable.

SECTION	15 REGULATORY INFORMAT	ION
15.1	Safety, health and environmental regulation or mixture: EU Regulations: This data sheet complies with the requirement classification, labelling and packaging of subst Safety data sheet as required by EU Regulation Amendment (EU) No. 2015/830. Information according to 2013/10/EU and 20 directive 75/324/EEC. Not applicable this product is not an aerosol.	ts of Regulation (EC) No. 1272/2008 on the tances and mixtures.
	National regulations (Germany): Wassergefahrdungklasse (water hazard class):	WGK 2 - Hazard to waters.
	TechnischeAnleitungLuft (TA-Luft):	Class 5.2.5 Organic substances, except dusts.

15.2 Chemical safety assessment:

No chemical safety assessment has been carried out for this mixture by the supplier.

SECT	FION 16	OTHER INFORMATION
(i)	Indication of Version 17.1 u	changes: updated in Section 1.4.
(ii)		on the left hand side indicate an amendment from the previous version. s and acronyms:
(11)	ADR	European Agreement concerning the International Carriage of Dangerous Goods
		by Road (Accord européen relatif au transport international des marchandises
		Dangereuses par Route)
	CAS No.	Chemical Abstracts Service number
	CEN CLP	European Committee for Standardisation
	ECHA	Classification, Labelling Packaging Regulation; Regulation (EC) No 1272/2008 European Chemicals Agency
	EC50	Half Maximal Effective Concentration
	EC number	EINECS and ELINCS number
	EINECS	European Inventory of Existing Commercial Substances
	ELINCS	European List of notified Chemical Substances
	GHS	Globally Harmonized System
	IATA IMDG	International Air Transport Association International Maritime Dangerous Goods
	LC50	Lethal Concentration to 50% of a test population
	LD50	Lethal Dose to 50% of a test population
	MPI	Magnetic Particle Inspection
	NDT	Non-Destructive Testing
	OEL	Occupational Exposure Limit
	PBT	Persistent, Bioaccumulative and Toxic Substance
	PMCC PPE	Pensky-Martens closed cup method Personal Protection Equipment
	REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation
		EC (No) 1907/2006
	RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
		(Reglement International concernant le transport des marchandises Dangereuses
		par chemin de fer)
	SDS STOT RE	Safety Data Sheet Specific Target Organ Toxicity, Repeat Exposure
	STOT SE	Specific Target Organ Toxicity, Single Exposure
	TA-Luft	Technical Instructions on Air Quality Control (Technische Anleitung zur
		Reinhaltung der Luft)
	vPvB	Very Persistent and Very Bioaccumulative
	WEL	Workplace Exposure Limit
/:::)	WGK	German Water Hazard Class (Wassergefährdungsklasse)
(iii)	-	e and sources of data: ier's safety data sheets for components listed in Section 3.
		bean Chemicals Agency, <u>http://echa.europa.eu/</u>
		TS International Limit Values Database,
		limitvalue.ifa.dguv.de/Webform_gw.aspx
	 Occup 	pational Exposure Limits EH40/2005.
	-	ation (EU) No. 2015/830.
		ol of Substances Hazardous to Health Regulations 2002.
		dous waste regulations 2005.
		n & Safety at Work Act 1974.
	-	lation (EC) No. 1907/2006 (REACH). lation (EC) No. 1272/2008 (CLP).
	- Keyu	a 0 LO 1 0 2 2 2 0 0 F .

(iv) Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 (CLP):

Classific	ation according to Regulation (EC) No 1272/2008	Classification procedure
Eye Dam		Calculation – non additive approach
Asp. Tox.		Calculation
Skin Irrit.	2 H315	Calculation
Aquatic C	hronic 3 H412	Calculation
H304 H315 H315 H315	 Ard statements (number and full text): 4: May be fatal if swallowed and enters airways. 5: Causes skin irritation. 8: Causes serious eye damage. 6: Causes serious eye irritation. 1: Toxic to aquatic life with long lasting effects. 	
	2: Harmful to aquatic life with long lasting effects.	
EUH	066: Repeated exposure may cause skin dryness or	cracking.
	ard Class Category Code (number and full text):	
Aquatic Chronic 2: Hazardous to the aquatic environment		
	atic Chronic 3: Hazardous to the aquatic environment	
	Tox. 1: Aspiration hazard	
	Dam. 1: Serious eye damage/eye irritation	
	Irrit. 2: Serious eye damage/eye irritation Irrit. 2: Skin corrosion/irritation	
-	vant precautionary statements (number and full te	avt).
): Wear protective gloves/protective clothing/eye protective	
	3: Avoid release to the environment.	
	5+P351+P338: IF IN EYES: Rinse cautiously with wat	er for several minutes. Remove
	act lenses if present and easy to do – continue rinsing	
): Immediately call a POISON CENTER or doctor/phy	
P301	+P310: IF SWALLOWED: Immediately call a POISO	N CENTER or doctor/physician
	: Do NOT induce vomiting.	
	I: Wash thoroughly after handling	
	2+P352: IF ON SKIN: Wash with soap and water.	
	2+P313: If skin irritation occurs: Get medical advice/at	
	2+P364: Take off contaminated clothing and wash it b	efore reuse.
	5: Store locked up.	an an a sight a plug stign in sight
	: Dispose of contents/container to hazardous waste c	or special collection point.
Cher Pers	ning advice: nical hazard awareness training, incorporating labellir onal Protective Equipment (PPE) and hygiene. Cher juate information, instruction and training to operators	mical hazard risk assessment. Provid

DISCLAIMER

The information and recommendations contained herein are based upon data believed to be up-todate and correct. However, no guarantee or warranty of any kind, express or implied, is made with respect to the information and recommendations contained herein. We accept no responsibility and disclaim all liability for any harmful effects that may be caused by (incorrect) use, handling, purchase, resale, or exposure to our product. Customers and users of our product must comply with all applicable health and safety laws, regulations, and orders. In particular, they are under an obligation to carry out a risk assessment for the particular work places and to take adequate risk management measures in accordance with the national implementation legislation of EU Directives 89/391/EEC and 98/24/EC amended by Directive 2014/27/EU.

Revision summary:	Revision Comments	This SDS is valid from the Revision Date. If you require a SDS for the product manufactured before the revision date please contact us at datasheets@magnaflux.co.uk.
	Revision Date Version	01.01.2017 17.1